



FLOWCOLOUR



PRODUCT CATALOG

2025

Professional system pipeline service provider



www.flowcolour.cn

Info@flowcolour.cn

Facebook.com/FlowcolourxSinking




FLOWCOLOUR MULTICOLOR PIPE SERIES




Black Pipe

Standard:	DIN
Size:	20-50mm
	DN15-DN40




Gray Pipe

Standard:	DIN
Size:	20-160mm
	DN15-DN150



Red Pipe

Standard:	DIN
Size:	20-63mm
	DN15-DN50



Blue Pipe

Standard:	DIN
Size:	20-50mm
	DN15-DN40



Orange Pipe

Standard:	DIN
Size:	20-50mm
	DN15-DN40




Purple Pipe

Standard:	DIN
Size:	20-50mm
	DN15-DN40




White Pipe

Standard:	DIN
Size:	20-50mm
	DN15-DN40



Clear Pipe

Standard:	DIN
Size:	20-160mm
	DN15-DN150



PMMA Pipe

Standard:	DIN
Size:	20-50mm
	DN15-DN40



www.flowcolour.cn
Info@flowcolour.cn
Facebook.com/FlowcolourxSinking



FLOWCOLOUR WHITE SERIES



90° Elbow

Standard:	DIN
Size:	20-50mm
	DN15-DN40



45° Elbow

Standard:	DIN
Size:	20-50mm
	DN15-DN40



Tee

Standard:	DIN
Size:	20-50mm
	DN15-DN40



Coupling

Standard:	DIN
Size:	20-50mm
	DN15-DN40



Cap

Standard:	DIN
Size:	20-50mm
	DN15-DN40



Reducing Bushing

Standard:	DIN
Size:	16-20mm
	DN10*DN15



90° Bend

Standard:	DIN
Size:	20-32mm
	DN15-DN25



Union

Standard:	DIN, ANSI SCH40
Size:	20-63mm, 1/2"-2"
	DN15-DN50



Female Union

Standard:	DIN, ANSI SCH40
Size:	20-63mm, 1/2"-2"
	DN15-DN50



Socket Hose Adapter

Standard:	DIN
Size:	20-25mm
	DN15-DN20



Spigot Hose Adapter

Standard:	DIN
Size:	20-32mm
	DN15-DN25



Male Hose Adapter

Standard:	DIN
Size:	20-32mm
	1/2"-1"



www.flowcolour.cn
Info@flowcolour.cn
Facebook.com/FlowcolourxSinking



FLOWCOLOUR WHITE SERIES



Quick Bulkhead

Standard:	DIN
Size:	25-50mm DN20-DN40



Bulkhead

Standard:	DIN, ANSI
Size:	20-50mm DN15-DN40



Elbow Bulkhead

Standard:	DIN
Size:	20-32mm DN15-DN25




Force Drain

Standard:	DIN
Size:	20-32mm DN15-DN25



Elbow Force Drain

Standard:	DIN
Size:	20-32mm DN15-DN25



Swing Check Valve

Standard:	DIN, ANSI
Size:	20-32mm DN15-DN25



Spring Check Valve

Standard:	DIN, ANSI
Size:	20-32mm DN15-DN25




Gate Valve

Standard:	DIN, ANSI
Size:	20-63mm DN15-DN50



Sensor Holder

Standard:	DIN, ANSI
Size:	32-40mm, 1"-1-1/4" DN25-DN32



Divider Plate(PE)

Standard:	DIN
Size:	265.6mm*202mm



Foot(PE)

Standard:	DIN
Size:	8*30*17.5mm



www.flowcolour.cn
Info@flowcolour.cn
Facebook.com/FlowcolourxSinking

FLOWCOLOUR BLACK SERIES



90° Elbow

Standard:	DIN
Size:	20-50mm
	DN15-DN40



45° Elbow

Standard:	DIN
Size:	20-50mm
	DN15-DN40




Tee

Standard:	DIN
Size:	20-50mm
	DN15-DN40



Coupling

Standard:	DIN
Size:	20-50mm
	DN15-DN40



Cap

Standard:	DIN
Size:	20-50mm
	DN15-DN40



Cross

Standard:	DIN
Size:	20-32mm
	DN15-DN25



Ribbed Hosing

Standard:	DIN
Size:	20-50mm; DN15-DN40
	30cm, 50cm, 100cm



Spigot Laval Water Outlet

Standard:	DIN, ANSI SCH40
Size:	20-32mm
	DN15-DN25



Thread Laval Water Outlet

Standard:	DIN, ANSI SCH40
Size:	20-32mm
	1/2"-1"



Spigot Triangle Water Outlet

Standard:	DIN
Size:	20-32mm
	DN15-DN25



Thread Triangle Water Outlet

Standard:	DIN
Size:	20-32mm
	1/2"-1"



www.flowcolour.cn
Info@flowcolour.cn
Facebook.com/FlowcolourxSinking



FLOWCOLOUR GREY SERIES



90° Elbow

Standard:	DIN
Size:	20-63mm DN15-DN50



45° Elbow

Standard:	DIN
Size:	20-63mm DN15-DN50




Tee

Standard:	DIN
Size:	20-63mm DN15-DN50



Coupling

Standard:	DIN
Size:	20-63mm DN15-DN50



Cap

Standard:	DIN
Size:	20-63mm DN15-DN50



Reducing Bushing

Standard:	DIN
Size:	16-20mm DN10*DN15



Female
Reducer Bushing

Standard:	DIN, ANSI, JIS
Size:	20mm*1/4"-32mm*3/4" 16A*1/4"-25A*1/4"



Male * Female
Reducer Bushing

Standard:	DIN, ANSI
Size:	3/8"*1/2"-1"*3/4"



Male Adapter

Standard:	DIN
Size:	20mm*3/4", 32mm*3/4" 50mm*1-1/2"




Nipple

Standard:	DIN, ANSI
Size:	3/8"-2" DN10-DN50



Male Cap

Standard:	DIN, ANSI
Size:	20-32mm DN15-DN25



Female Sampling Header

Standard:	DIN
Size:	2"x200mm, 2"x250mm



www.flowcolour.cn
Info@flowcolour.cn
Facebook.com/FlowcolourxSinking



FLOWCOLOUR GREY SERIES




Spigot Screen

Standard:	DIN
Size:	20-63mm DN15-DN50



Thread Screen

Standard:	DIN
Size:	20-50mm, 1/2"-2" DN15-DN40



Y Tee

Standard:	DIN
Size:	20-63mm DN15-DN50



Bend Tee

Standard:	DIN
Size:	50mm, 63mm DN40, DN50



90° Bend Elbow

Standard:	DIN
Size:	20-63mm DN15-DN50



4d Radius Bocht 45°

Standard:	DIN
Size:	63mm, DN50



4d Radius Bocht 83°

Standard:	DIN
Size:	63mm, DN50



4d Radius Bocht 90°

Standard:	DIN, ANSI SCH40
Size:	63mm, DN50



Socket Union

Standard:	DIN, ANSI SCH40
Size:	20-63mm, 1/2"-2" DN15-DN50



Female Union

Standard:	DIN, ANSI SCH40
Size:	20-63mm, 1/2"-2" DN15-DN50



Spigot Union

Standard:	DIN, ANSI SCH40
Size:	20-63mm, 1/2"-2" DN15-DN50



Male Union

Standard:	DIN, ANSI SCH40
Size:	20-63mm, 1/2"-2" DN15-DN50



www.flowcolour.cn
Info@flowcolour.cn
[Facebook.com/FlowcolourxSinking](https://www.facebook.com/FlowcolourxSinking)

FLOWCOLOUR GREY SERIES



Spigot Hose Adapter

Standard:	DIN
Size:	20-32mm
	DN15-DN25




Socket Hose Adapter

Standard:	DIN
Size:	20-25mm
	DN15-DN20



Male Hose Adapter

Standard:	DIN
Size:	1/2"-1"
	DN15-DN40



Union Connector

Standard:	DIN
Size:	25mm*32mm
	DN20*DN25



Bottom Outlet

Standard:	DIN
Size:	25-32mm
	DN20-DN25



Outlet Connector

Standard:	DIN, ANSI
Size:	20-32mm, 1/2"-1"
	DN15-DN25



Elbow Outlet Connector

Standard:	DIN, ANSI
Size:	20-32mm, 1/2"-1"
	DN15-DN25



Quick Bulkhead

Standard:	DIN
Size:	20-50mm
	DN15-DN40



Bulkhead

Standard:	DIN, ANSI
Size:	20-50mm, 1/2"-1-1/2"
	DN15-DN40



Elbow Bulkhead

Standard:	DIN
Size:	20-25mm
	DN15-DN20



Force Drain

Standard:	DIN, ANSI
Size:	20-32mm, 1/2"-1"
	DN15-DN25



Elbow Force Drain

Standard:	DIN
Size:	20-32mm
	DN15-DN25



www.flowcolour.cn
Info@flowcolour.cn
Facebook.com/FlowcolourxSinking



FLOWCOLOUR GREY SERIES



Force Drain Ball Valve

Standard:	DIN
Size:	20-32mm DN15-DN25



Double End Rotating Water Outlet

Standard:	DIN
Size:	25-32mm DN20-DN25



Hose Check Valve

Standard:	DIN
Size:	12.5mm, 16.5mm 21mm, 26mm



Gate Valve

Standard:	DIN, ANSI
Size:	20-63mm, 1/2"-2" DN15-DN50



Socket/Spigot Sampling Valve

Standard:	DIN
Size:	8mm*20mm, 12mm*20mm



Male Sampling Valve

Standard:	DIN, ANSI
Size:	1/4", 3/8", 1/2" 8mm, 12mm




Angle Valve

Standard:	DIN, ANSI
Size:	1/2"-3/4" DN15-DN20



Ballvalve Gearbox

Standard:	DIN
Size:	10N
Connection:	ISO5211



Union Static Mixer

Standard:	DIN
Size:	20-90mm DN15-DN80



Flanged Static Mixer

Standard:	DIN
Size:	75-110mm DN65-DN100



Uv Sterilizer


Standard:	DIN
Size:	DN50(80W)



Divider Plate

Standard:	DIN
Size:	265.6*202mm
Colour:	Clear, White, Black

FLOWCOLOUR CLEAR-PVC SERIES



Clear Pipe

Standard:	DIN
Size:	20-160mm
	DN15-DN150



90° Elbow

Standard:	DIN, ANSI
Size:	16-63mm, 1/2"-2"
	DN10-DN50



45° Elbow

Standard:	DIN, ANSI
Size:	20-63mm, 1/2"-2"
	DN15-DN50



Coupling

Standard:	DIN, ANSI
Size:	16-63mm, 1/2"-2"
	DN10-DN50



Tee

Standard:	DIN, ANSI
Size:	16-63mm, 1/2"-2"
	DN10-DN50



Cap

Standard:	DIN
Size:	16-63mm
	DN10-DN50



Male Adapter

Standard:	DIN
Size:	20-63mm, 1/2"-2"
	DN15-DN50



Spring Check Valve

Standard:	DIN, ANSI
Size:	20-32mm, 1/2"-1"
	DN15-DN25




Swing Check Valve

Standard:	DIN, ANSI
Size:	20-32mm, 1/2"-1"
	DN15-DN25



Sensor Holder

Standard:	DIN, ANSI
Size:	32-63mm, 1"-2"
	DN25-DN50



Socket Calibration Column

Standard:	DIN
Size:	32mm*100mL
	40mm*200mL



Female Calibration Column

Standard:	DIN
Size:	1/2"*100mL

www.flowcolour.cn
Info@flowcolour.cn
Facebook.com/FlowcolourxSinking

FLOWCOLOUR PMMA SERIES



Clear Pipe

Standard:	DIN
Size:	20-50mm
	DN15-DN40



90° Elbow

Standard:	DIN
Size:	20-50mm
	DN10-DN40



45° Elbow

Standard:	DIN
Size:	20-32mm
	DN15-DN25



Coupling

Standard:	DIN
Size:	20-50mm
	DN10-DN40



Tee

Standard:	DIN
Size:	20-50mm
	DN10-DN40



Cap

Standard:	DIN
Size:	20-32mm
	DN15-DN25



Male Adapter

Standard:	DIN
Size:	20mm*3/4", 32mm*3/4"
	50mm*1-1/2"



Nut(PC)

Standard:	DIN
Size:	3/4", 1-1/2"



Triangular Sweeper

Standard:	DIN
Size:	20-32mm
	DN15-DN25



FLOWCOLOUR

FLOW CREATE VALUE

FLOW CRI

Shandong Flowcolour Fluid Technology Co.,Ltd

Add: A1297 Guangming East Road, Shizhong District, Zaozhuang City, Shandong Province

www.flowcolour.cn

Email: Info@flowcolour.cn

Facebook: [FlowcolourxSinking](#)