



**FLOWCOLOUR**



# PRODUCT CATALOG

## 2025

Professional system pipeline service provider



[www.flowcolour.cn](http://www.flowcolour.cn)

[Info@flowcolour.cn](mailto:Info@flowcolour.cn)

[Facebook.com/FlowcolourxSinking](https://www.facebook.com/FlowcolourxSinking)




## FLOWCOLOUR MULTICOLOR PIPE SERIES




Black Pipe

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-50mm   |
|           | DN15-DN40 |




Gray Pipe

|           |            |
|-----------|------------|
| Standard: | DIN        |
| Size:     | 20-160mm   |
|           | DN15-DN150 |



Red Pipe

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-63mm   |
|           | DN15-DN50 |



Blue Pipe

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-50mm   |
|           | DN15-DN40 |



Orange Pipe

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-50mm   |
|           | DN15-DN40 |




Purple Pipe

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-50mm   |
|           | DN15-DN40 |




White Pipe

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-50mm   |
|           | DN15-DN40 |



Clear Pipe

|           |            |
|-----------|------------|
| Standard: | DIN        |
| Size:     | 20-160mm   |
|           | DN15-DN150 |



PMMA Pipe

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-50mm   |
|           | DN15-DN40 |



www.flowcolour.cn

Info@flowcolour.cn

Facebook.com/FlowcolourxSinking



## FLOWCOLOUR WHITE SERIES



90° Elbow

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-50mm   |
|           | DN15-DN40 |



45° Elbow

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-50mm   |
|           | DN15-DN40 |



Tee

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-50mm   |
|           | DN15-DN40 |



Coupling

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-50mm   |
|           | DN15-DN40 |



Cap

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-50mm   |
|           | DN15-DN40 |



Reducing Bushing

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 16-20mm   |
|           | DN10*DN15 |



90° Bend

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-32mm   |
|           | DN15-DN25 |



Union

|           |                  |
|-----------|------------------|
| Standard: | DIN, ANSI SCH40  |
| Size:     | 20-63mm, 1/2"-2" |
|           | DN15-DN50        |



Female Union

|           |                  |
|-----------|------------------|
| Standard: | DIN, ANSI SCH40  |
| Size:     | 20-63mm, 1/2"-2" |
|           | DN15-DN50        |



Socket Hose Adapter

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-25mm   |
|           | DN15-DN20 |



Spigot Hose Adapter

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-32mm   |
|           | DN15-DN25 |



Male Hose Adapter

|           |         |
|-----------|---------|
| Standard: | DIN     |
| Size:     | 20-32mm |
|           | 1/2"-1" |



[www.flowcolour.cn](http://www.flowcolour.cn)

[Info@flowcolour.cn](mailto:Info@flowcolour.cn)

[Facebook.com/FlowcolourxSinking](https://Facebook.com/FlowcolourxSinking)



## FLOWCOLOUR WHITE SERIES



3-Way Elbow

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-50mm   |
|           | DN15-DN40 |



5-Way Cross

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-50mm   |
|           | DN15-DN40 |



Single Spigot Elbow

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-50mm   |
|           | DN15-DN40 |



Single Spigot Tee

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-50mm   |
|           | DN15-DN40 |



Quick Bulkhead

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 25-50mm   |
|           | DN20-DN40 |



Bulkhead

|           |           |
|-----------|-----------|
| Standard: | DIN, ANSI |
| Size:     | 20-50mm   |
|           | DN15-DN40 |



Elbow Bulkhead

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-32mm   |
|           | DN15-DN25 |



Force Drain

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-32mm   |
|           | DN15-DN25 |



Elbow Force Drain

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-32mm   |
|           | DN15-DN25 |



Hose Lock Spigot

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-32mm   |
|           | DN15-DN25 |



Swing Check Valve

|           |           |
|-----------|-----------|
| Standard: | DIN, ANSI |
| Size:     | 20-32mm   |
|           | DN15-DN25 |



Spring Check Valve

|           |           |
|-----------|-----------|
| Standard: | DIN, ANSI |
| Size:     | 20-32mm   |
|           | DN15-DN25 |



www.flowcolour.cn

Info@flowcolour.cn

Facebook.com/FlowcolourxSinking



## FLOWCOLOUR WHITE SERIES




Lifting Check Valve

|           |           |
|-----------|-----------|
| Standard: | DIN, ANSI |
| Size:     | 20-32mm   |
|           | DN15-DN25 |



Gate Valve

|           |           |
|-----------|-----------|
| Standard: | DIN, ANSI |
| Size:     | 20-63mm   |
|           | DN15-DN50 |



Compact Ball Valve

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-50mm   |
|           | DN15-DN40 |




True Union Ball Valve

|           |           |
|-----------|-----------|
| Standard: | DIN, ANSI |
| Size:     | 20-50mm   |
|           | DN25-DN40 |



Sensor Holder

|           |                    |
|-----------|--------------------|
| Standard: | DIN, ANSI          |
| Size:     | 32-40mm, 1"-1-1/4" |
|           | DN25-DN32          |



Divider Plate(PE)

|           |               |
|-----------|---------------|
| Standard: | DIN           |
| Size:     | 265.6mm*202mm |
|           |               |



Foot(PE)

|           |             |
|-----------|-------------|
| Standard: | DIN         |
| Size:     | 8*30*17.5mm |
|           |             |



## FLOWCOLOUR BLACK SERIES



90° Elbow

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-50mm   |
|           | DN15-DN40 |



45° Elbow

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-50mm   |
|           | DN15-DN40 |



Tee

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-50mm   |
|           | DN15-DN40 |



Coupling

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-50mm   |
|           | DN15-DN40 |



Cap

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-50mm   |
|           | DN15-DN40 |



Cross

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-32mm   |
|           | DN15-DN25 |



Y Tee

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-63mm   |
|           | DN15-DN50 |



Socket Union

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-50mm   |
|           | DN15-DN40 |



Thread Laval Water Outlet

|           |         |
|-----------|---------|
| Standard: | DIN     |
| Size:     | 20-32mm |
|           | 1/2"-1" |



Spigot Triangle Water Outlet

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-32mm   |
|           | DN15-DN25 |



Thread Triangle Water Outlet

|           |         |
|-----------|---------|
| Standard: | DIN     |
| Size:     | 20-32mm |
|           | 1/2"-1" |



Spigot Laval Water Outlet

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-32mm   |
|           | DN15-DN25 |



[www.flowcolour.cn](http://www.flowcolour.cn)  
[Info@flowcolour.cn](mailto:Info@flowcolour.cn)  
[Facebook.com/FlowcolourxSinking](https://www.facebook.com/FlowcolourxSinking)

## FLOWCOLOUR BLACK SERIES



Bulkhead

|           |                      |
|-----------|----------------------|
| Standard: | DIN, ANSI            |
| Size:     | 20-50mm, 1/2"-1-1/2" |
|           | DN15-DN40            |



Elbow Bulkhead

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-25mm   |
|           | DN15-DN20 |



Ribbed Hosing

|           |                    |
|-----------|--------------------|
| Standard: | DIN                |
| Size:     | 20-50mm; DN15-DN40 |
|           | 30cm, 50cm, 100cm  |



www.flowcolour.cn  
Info@flowcolour.cn  
Facebook.com/FlowcolourxSinking



## FLOWCOLOUR GREY SERIES



90° Elbow

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-63mm   |
|           | DN15-DN50 |



45° Elbow

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-63mm   |
|           | DN15-DN50 |




Tee

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-63mm   |
|           | DN15-DN50 |



Coupling

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-63mm   |
|           | DN15-DN50 |



Cap

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-63mm   |
|           | DN15-DN50 |



Reducing Bushing

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 16-20mm   |
|           | DN10*DN15 |



Female  
Reducer Bushing

|           |                     |
|-----------|---------------------|
| Standard: | DIN, ANSI, JIS      |
| Size:     | 20mm*1/4"-32mm*3/4" |
|           | 16A*1/4"-25A*1/4"   |




Male \* Female  
Reducer Bushing

|           |                   |
|-----------|-------------------|
| Standard: | DIN, ANSI         |
| Size:     | 3/8"*1/2"-1"*3/4" |
|           |                   |



3-Way Elbow

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-50mm   |
|           | DN15-DN40 |



5-Way Cross

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-50mm   |
|           | DN15-DN40 |



Single Spigot Elbow

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-50mm   |
|           | DN15-DN40 |



Single Spigot Tee

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-50mm   |
|           | DN15-DN40 |



www.flowcolour.cn  
Info@flowcolour.cn  
Facebook.com/FlowcolourxSinking



## FLOWCOLOUR GREY SERIES



Male Adapter

|           |                                     |
|-----------|-------------------------------------|
| Standard: | DIN                                 |
| Size:     | 20mm*3/4", 32mm*3/4"<br>50mm*1-1/2" |




Nipple

|           |                      |
|-----------|----------------------|
| Standard: | DIN, ANSI            |
| Size:     | 3/8"-2"<br>DN10-DN50 |



Male Cap

|           |                      |
|-----------|----------------------|
| Standard: | DIN, ANSI            |
| Size:     | 20-32mm<br>DN15-DN25 |



Female Sampling Header

|           |                    |
|-----------|--------------------|
| Standard: | DIN                |
| Size:     | 2"x200mm, 2"x250mm |




Spigot Screen

|           |                      |
|-----------|----------------------|
| Standard: | DIN                  |
| Size:     | 20-63mm<br>DN15-DN50 |



Thread Screen

|           |                               |
|-----------|-------------------------------|
| Standard: | DIN                           |
| Size:     | 20-50mm, 1/2"-2"<br>DN15-DN40 |



Y Tee

|           |                      |
|-----------|----------------------|
| Standard: | DIN                  |
| Size:     | 20-63mm<br>DN15-DN50 |



Bend Tee

|           |                          |
|-----------|--------------------------|
| Standard: | DIN                      |
| Size:     | 50mm, 63mm<br>DN40, DN50 |



90° Bend Elbow

|           |                      |
|-----------|----------------------|
| Standard: | DIN                  |
| Size:     | 20-63mm<br>DN15-DN50 |



4d Radius Bocht 45°

|           |            |
|-----------|------------|
| Standard: | DIN        |
| Size:     | 63mm, DN50 |



4d Radius Bocht 83°

|           |            |
|-----------|------------|
| Standard: | DIN        |
| Size:     | 63mm, DN50 |



4d Radius Bocht 90°

|           |                 |
|-----------|-----------------|
| Standard: | DIN, ANSI SCH40 |
| Size:     | 63mm, DN50      |



www.flowcolour.cn  
Info@flowcolour.cn  
Facebook.com/FlowcolourxSinking



## FLOWCOLOUR GREY SERIES



Socket Union

|           |                  |
|-----------|------------------|
| Standard: | DIN, ANSI SCH40  |
| Size:     | 20-63mm, 1/2"-2" |
|           | DN15-DN50        |



Female Union

|           |                  |
|-----------|------------------|
| Standard: | DIN, ANSI SCH40  |
| Size:     | 20-63mm, 1/2"-2" |
|           | DN15-DN50        |



Spigot Union

|           |                  |
|-----------|------------------|
| Standard: | DIN, ANSI SCH40  |
| Size:     | 20-63mm, 1/2"-2" |
|           | DN15-DN50        |



Male Union

|           |                  |
|-----------|------------------|
| Standard: | DIN, ANSI SCH40  |
| Size:     | 20-63mm, 1/2"-2" |
|           | DN15-DN50        |



Spigot Hose Adapter

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-32mm   |
|           | DN15-DN25 |




Socket Hose Adapter

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-25mm   |
|           | DN15-DN20 |



Male Hose Adapter

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 1/2"-1"   |
|           | DN15-DN40 |



Union Connector

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 25mm*32mm |
|           | DN20*DN25 |



Bottom Outlet

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 25-32mm   |
|           | DN20-DN25 |



Outlet Connector

|           |                  |
|-----------|------------------|
| Standard: | DIN, ANSI        |
| Size:     | 20-32mm, 1/2"-1" |
|           | DN15-DN25        |



Elbow Outlet Connector

|           |                  |
|-----------|------------------|
| Standard: | DIN, ANSI        |
| Size:     | 20-32mm, 1/2"-1" |
|           | DN15-DN25        |



Quick Bulkhead

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-50mm   |
|           | DN15-DN40 |



www.flowcolour.cn  
Info@flowcolour.cn  
Facebook.com/FlowcolourxSinking



## FLOWCOLOUR GREY SERIES



**Bulkhead**

|                  |                      |
|------------------|----------------------|
| <b>Standard:</b> | DIN, ANSI            |
| <b>Size:</b>     | 20-50mm, 1/2"-1-1/2" |
|                  | DN15-DN40            |



**Elbow Bulkhead**

|                  |           |
|------------------|-----------|
| <b>Standard:</b> | DIN       |
| <b>Size:</b>     | 20-25mm   |
|                  | DN15-DN20 |



**Force Drain**

|                  |                  |
|------------------|------------------|
| <b>Standard:</b> | DIN, ANSI        |
| <b>Size:</b>     | 20-32mm, 1/2"-1" |
|                  | DN15-DN25        |



**Elbow Force Drain**

|                  |           |
|------------------|-----------|
| <b>Standard:</b> | DIN       |
| <b>Size:</b>     | 20-32mm   |
|                  | DN15-DN25 |



**Force Drain Ball Valve**

|                  |           |
|------------------|-----------|
| <b>Standard:</b> | DIN       |
| <b>Size:</b>     | 20-32mm   |
|                  | DN15-DN25 |



**Double End Rotating  
Water Outlet**

|                  |           |
|------------------|-----------|
| <b>Standard:</b> | DIN       |
| <b>Size:</b>     | 25-32mm   |
|                  | DN20-DN25 |



**Hose Check Valve**

|                  |                |
|------------------|----------------|
| <b>Standard:</b> | DIN            |
| <b>Size:</b>     | 12.5mm, 16.5mm |
|                  | 21mm, 26mm     |



**Water Level  
Control Connector**

|                  |      |
|------------------|------|
| <b>Standard:</b> | DIN  |
| <b>Size:</b>     | 40mm |
|                  | DN40 |



**Hose Lock Spigot**

|                  |           |
|------------------|-----------|
| <b>Standard:</b> | DIN       |
| <b>Size:</b>     | 20-32mm   |
|                  | DN15-DN25 |




**Lifting Check Valve**

|                  |           |
|------------------|-----------|
| <b>Standard:</b> | DIN, ANSI |
| <b>Size:</b>     | 20-32mm   |
|                  | DN15-DN25 |



**Compact Ball Valve**

|                  |           |
|------------------|-----------|
| <b>Standard:</b> | DIN       |
| <b>Size:</b>     | 20-50mm   |
|                  | DN15-DN40 |



**True Union Ball Valve**

|                  |           |
|------------------|-----------|
| <b>Standard:</b> | DIN, ANSI |
| <b>Size:</b>     | 20-50mm   |
|                  | DN25-DN40 |



www.flowcolour.cn  
Info@flowcolour.cn  
Facebook.com/FlowcolourxSinking



## FLOWCOLOUR GREY SERIES



Socket/Spigot  
Sampling Valve

|           |                        |
|-----------|------------------------|
| Standard: | DIN                    |
| Size:     | 8mm*20mm,<br>12mm*20mm |



Male Sampling Valve

|           |                               |
|-----------|-------------------------------|
| Standard: | DIN, ANSI                     |
| Size:     | 1/4", 3/8", 1/2"<br>8mm, 12mm |



Angle Valve

|           |                        |
|-----------|------------------------|
| Standard: | DIN, ANSI              |
| Size:     | 1/2"-3/4"<br>DN15-DN20 |




Ballvalve Gearbox

|             |         |
|-------------|---------|
| Standard:   | DIN     |
| Size:       | 10N     |
| Connection: | ISO5211 |



Gate Valve

|           |                               |
|-----------|-------------------------------|
| Standard: | DIN, ANSI                     |
| Size:     | 20-63mm, 1/2"-2"<br>DN15-DN50 |



Union Static Mixer

|           |                      |
|-----------|----------------------|
| Standard: | DIN                  |
| Size:     | 20-90mm<br>DN15-DN80 |



Flanged Static Mixer

|           |                        |
|-----------|------------------------|
| Standard: | DIN                    |
| Size:     | 75-110mm<br>DN65-DN100 |



Uv Sterilizer


|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | DN50(80W) |



Divider Plate

|           |                     |
|-----------|---------------------|
| Standard: | DIN                 |
| Size:     | 265.6*202mm         |
| Colour:   | Clear, White, Black |

## FLOWCOLOUR CLEAR-PVC SERIES



Clear Pipe

|           |            |
|-----------|------------|
| Standard: | DIN        |
| Size:     | 20-160mm   |
|           | DN15-DN150 |



90° Elbow

|           |                  |
|-----------|------------------|
| Standard: | DIN, ANSI        |
| Size:     | 16-63mm, 1/2"-2" |
|           | DN10-DN50        |



45° Elbow

|           |                  |
|-----------|------------------|
| Standard: | DIN, ANSI        |
| Size:     | 20-63mm, 1/2"-2" |
|           | DN15-DN50        |



Coupling

|           |                  |
|-----------|------------------|
| Standard: | DIN, ANSI        |
| Size:     | 16-63mm, 1/2"-2" |
|           | DN10-DN50        |



Tee

|           |                  |
|-----------|------------------|
| Standard: | DIN, ANSI        |
| Size:     | 16-63mm, 1/2"-2" |
|           | DN10-DN50        |



Cap

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 16-63mm   |
|           | DN10-DN50 |



Male Adapter

|           |                  |
|-----------|------------------|
| Standard: | DIN              |
| Size:     | 20-63mm, 1/2"-2" |
|           | DN15-DN50        |



Spring Check Valve

|           |                  |
|-----------|------------------|
| Standard: | DIN, ANSI        |
| Size:     | 20-32mm, 1/2"-1" |
|           | DN15-DN25        |



Swing Check Valve

|           |                  |
|-----------|------------------|
| Standard: | DIN, ANSI        |
| Size:     | 20-32mm, 1/2"-1" |
|           | DN15-DN25        |



Sensor Holder

|           |                |
|-----------|----------------|
| Standard: | DIN, ANSI      |
| Size:     | 32-63mm, 1"-2" |
|           | DN25-DN50      |



Socket Calibration Column

|           |            |
|-----------|------------|
| Standard: | DIN        |
| Size:     | 32mm*100mL |
|           | 40mm*200mL |



Female Calibration Column

|           |            |
|-----------|------------|
| Standard: | DIN        |
| Size:     | 1/2"*100mL |

## FLOWCOLOUR PMMA SERIES



Clear Pipe

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-50mm   |
|           | DN15-DN40 |



90° Elbow

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-50mm   |
|           | DN10-DN40 |



45° Elbow

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-32mm   |
|           | DN15-DN25 |



Coupling

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-50mm   |
|           | DN10-DN40 |



Tee

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-50mm   |
|           | DN10-DN40 |



Cap

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-32mm   |
|           | DN15-DN25 |



Male Adapter

|           |                      |
|-----------|----------------------|
| Standard: | DIN                  |
| Size:     | 20mm*3/4", 32mm*3/4" |
|           | 50mm*1-1/2"          |



Nut(PC)

|           |              |
|-----------|--------------|
| Standard: | DIN          |
| Size:     | 3/4", 1-1/2" |



Triangular Sweeper

|           |           |
|-----------|-----------|
| Standard: | DIN       |
| Size:     | 20-32mm   |
|           | DN15-DN25 |



**FLOWCOLOUR**

**FLOW CREATE VALUE**

FLOW CRI

**Shandong Flowcolour Fluid Technology Co.,Ltd**

Add: A1297 Guangming East Road, Shizhong District, Zaozhuang City, Shandong Province

[www.flowcolour.cn](http://www.flowcolour.cn)

Email: [Info@flowcolour.cn](mailto:Info@flowcolour.cn)

Facebook: Flowcolour